

BMJ BOOKS

For a complete
Catalogue of BMJ
Books

Please write to:
BRITISH MEDICAL JOURNAL,
P.O. Box 295,
London, WC1H 9TE

PRIMARY HEALTH CARE SERVICE

WELLINGTON AREA HEALTH BOARD
WELLINGTON SCHOOL OF MEDICINE
WELLINGTON, NEW ZEALAND

WHOLE-TIME VENEREOLOGIST

This is an exciting new position allowing for initiative in the development of an excellent client-centred service, including


- ★ diagnosis and treatment of STD and HIV
- ★ prevention programmes
- ★ training and education
- ★ epidemiological research

The successful applicant will have a Diploma in Venereology (UK), Master of Medicine Venereology (University of Sydney), FAC Ven, FRACP, MRACOG, or equivalent recognised qualifications, and a minimum of 5 years experience in Venereology and preferably Colposcopy. Communication and leadership skills are also of prime importance in the development of the Sexual Health Service.

Salary according to experience and Senior Medical Officers Award.

Applications to:

Vivienne Johnson, Manager Primary Health Care, Wellington District of the Area Health Board, Private Bag, Wellington. Telephone (64) 4 897-069. Fax (64) 4 897-224.



UK £8.95; Abroad £10.50
BMA members: £8.45 or £10.00
including postage by air abroad


How is no longer a problem — but there's still which and why

The microcomputer revolution has made powerful machines and highly complex programs generally available. This means that users of statistical techniques need no longer be concerned with the arithmetical and algebraic details — the software will take care of all that. What is vital, however, is to understand the ideas and the basic principles of statistical analysis. In *Medical Statistics on Microcomputers* R A Brown and J Swanson Beck show how to get the best use out of microcomputers when analysing data, particularly in the pathology laboratory. They explain the rational basis of various widely applicable statistical methods and also indicate their limitations so that you can make an informed choice. Chapters include:

- Data handling
- Analysis of data from one or two groups
- Comparison of several groups
- Analysis of categorical data
- Statistical methods for diagnostic tests.

Available from: BRITISH MEDICAL JOURNAL, PO BOX 295, LONDON WC1H 9TE, any leading bookseller or the BMJ/BMA bookshop in BMA House.

Please enclose payment with order, or send us full details of your MASTERCARD, VISA or AMERICAN EXPRESS credit card.





IN VAGINAL THRUSH, THEIR NEEDS ARE NOT IDENTICAL

ABRIDGED PRESCRIBING INFORMATION: **Presentation** *Caniesten 10% VC* is available as a single pre-filled applicator containing 5 g of 10% clotrimazole vaginal cream. **Uses** *Candida* vaginitis. **Dosage and Administration** *Adults* Insert the contents of the pre-filled applicator intravaginally, preferably at night. *Children* As this product is used with an applicator, paediatric usage is not recommended. **Contraindications** Hypersensitivity to clotrimazole. **Side Effects** Rarely patients may experience local mild burning or irritation immediately after inserting the cream. Hypersensitivity reaction may occur. **Use in Pregnancy** In animal studies clotrimazole has not been associated with teratogenic effects but following oral administration of high doses to rats there was evidence of foetotoxicity. The relevance of this effect to topical application in humans is not known. However, clotrimazole has been used in pregnant patients for over a decade without attributable adverse effects. It is therefore recommended that clotrimazole should be used in pregnancy only when considered necessary

by the clinician. If used during pregnancy extra care should be taken when using the applicator to prevent the possibility of mechanical trauma. **Accidental Oral Ingestion** In the event, routine measures such as gastric lavage should be performed as soon as possible after ingestion. **Pharmaceutical Precautions** Do not store above 25°C. **Legal Category** POM. **Basic NHS Price** £3.43 per 5g pre-filled applicator. **Product Licence Number** PL 0010/0136. **Reference** *Genitourinary Medicine* 1986; 62: 404.



Further information available from:
Bayer UK Limited, Pharmaceutical Business Group,
Bayer House, Strawberry Hill,
Newbury, Berkshire RG13 1JA

* Registered Trademark of Bayer AG.
© Bayer UK Limited, December 1989
Bayer, Baypharm,  and  are trademarks of Bayer AG.



Even women as similar as twins can have very different needs when it comes to vaginal thrush.

While many women are content with the convenience and efficacy of a single-dose pessary, others may need a cream.

Canesten 10% VC is the only single-dose cream for vaginal thrush.

It is specially formulated for cases where vaginal




soreness or dryness is a problem, and for those who simply prefer a cream.¹

Canesten 10% VC. It gives you — and your patients — a soothing alternative when treating vaginal thrush.

Canesten[®] 10% VC
clotrimazole vaginal cream

SINGLE-DOSE CREAM, THE SOOTHING ALTERNATIVE

Expert information on important problems



It is vital for all doctors to keep up to date with the facts about AIDS. The second edition of *ABC of AIDS* has been completely revised to give a clear picture of the present state of knowledge about the epidemic and current approaches to treatment. It also includes two new chapters, on HIV infection related to misuse of drugs, and HIV infection in children. Edited by Michael Adler, a leading authority on the topic, the *ABC of AIDS* is a concise, authoritative guide that all medical practitioners should read.

January 1991

UK £10.95; Abroad £13.50

(BMA members: £9.95 or £12.50)

The number and range of sexually transmitted diseases have been increasing steadily in the past few years, and the second, revised edition of the *ABC of Sexually Transmitted Diseases*, includes the most up to date figures as well as new chapters on AIDS and psycho-sexual problems. Doctors need to be aware that common clinical conditions such as rashes, vaginal discharge, and pelvic pain may have a sexual origin and in the new edition of this invaluable handbook Professor Michael Adler gives expert guidance on the diagnosis and management of these conditions.

August 1990

UK £11.95; Abroad £13.50

(BMA members: £10.95 or £12.50)

The lung is the organ most affected by the opportunistic infections that occur in patients with AIDS. Pneumocystis pneumonia occurs in up to four fifths of such patients in Europe and North America, while tuberculosis is a major factor in Africa. As the numbers of patients with AIDS increase, respiratory physicians throughout the world are more likely to be concerned in their management. In *AIDS and the Lung* experts review the problems, emphasising practical points and providing up to date information on this rapidly changing subject.

September 1990

UK £8.95; Abroad £10.00

(BMA members: £8.45 or £9.50)

ORDER FORM

BRITISH MEDICAL JOURNAL, PO Box 295, London WC1H 9TE, any leading bookseller, or the BMJ/BMA bookshop.

Please send me _____ copy/ies of the following BMJ books _____

_____ Membership no. _____

I enclose a cheque for _____ made payable to **British Medical Journal**. Debit my credit card (please tick box)

☐ Visa ☐ American Express ☐ Mastercard Card No.

Expiry Date _____ Signature _____

NAME _____

ADDRESS _____

POSTCODE _____

All prices include postage, by air abroad.

You don't know everything

HOW TO DO IT: 3

Organise a new department . Choose a house officer . Get publicity for management . Organise a multicentre trial . Write a DNA diagnostic report . Start a dissection summary . Develop diabetic care in general practice . Dictate a word for charitable status . Organise department . Be a manager . Get publicity . Choose a GP locum . Be a manager .

W

But often in a medical career it seems as if you are expected to. When confronted with a problem you've never met before the only thing to do is to ask the experts—but where are the experts who are never on holiday, never off sick, in a meeting, or simply unavailable? In *How To Do It: 3*, that's where. You can keep them in your pocket, and in a few minutes they can tell you, among many other things, how to:

- lecture overseas
- be a manager
- prepare a Festschrift
- commission a portrait
- write a practice annual report
- organise multicentre trials
- start a DNA diagnostic service
- survive a dinner

**Two companion
volumes of
essential know-how
are also available**

Price (each book): Inland £6.95; Abroad £9.00
BMA members: Inland £6.45; Abroad £8.50

HOW TO DO IT: 1

- Chair committee
- Be a dictator
- Take an examination
- Organize a computer paper
- Choose a journal
- Give evidence
- Write a book review
- Be an examiner
- Prepare a lecture
- Survive as an editor
- Use a library
- Construct an abstract
- Take a diploma
- Apply for research grant
- Deal with a publisher
- Find a reviewer
- Protect project
- Win prize

HOW TO DO IT: 2

Organize your time
Run a clinic
Complaint by a patient
Start in private practice
Be an expedition doctor
a teaching ward round
with a clinical examination
Use a word processor
sabbatical from general
Be a patient
mail. Make a video tape
Signpost your heart
Get a letter in the
newspaper
Keep up the
life

ORDER FORM

British Medical Journal, PO Box 295,
London WC1H 9TE, England or any leading bookseller

Please send me copy/copies of

- ☐ **HOW TO DO IT: 3**
- ☐ **HOW TO DO IT: 2**
- ☐ **HOW TO DO IT: 1**

Prices to include postage, by air abroad

NAME.....
Please print name and address clearly

ADDRESS.....

POST CODE.....

☐ I enclose BMA Membership No.

Please make cheques payable to British Medical Journal or debit my credit card (*please tick box*)

☐ VISA ☐ AMERICAN EXPRESS ☐ MASTERCARD

CARD NUMBER _____

Card expiry date.....

Signature.....

☐ Please send me a book catalogue

BMJ

Published weekly
Annual Subscription
Inland £110.00; Abroad £134.00

**Associated
Specialist
Journals**

Annals of the Rheumatic Diseases

Monthly (+ two extra supplements). Annual Subscription Inland £138.00; Abroad £151.00

Archives of Disease in Childhood

Monthly (+ four Fetal and Neonatal editions). Annual Subscription Inland £127.00; Abroad £140.00

British Heart Journal

Monthly. Annual Subscription Inland £126.00; Abroad £136.00

*Combined Annual Subscription to British Heart Journal and
Cardiovascular Research Inland £238.00; Abroad £255.00*

Cardiovascular Research

Monthly. Annual Subscription Inland £153.00; Abroad £167.00

British Journal of Industrial Medicine

Monthly. Annual Subscription Inland £98.00; Abroad £103.00

British Journal of Ophthalmology

Monthly. Annual Subscription Inland £126.00; Abroad £138.00

Genitourinary Medicine

Six issues. Annual Subscription Inland £95.00; Abroad £101.00

Gut

Monthly. Annual Subscription Inland £121.00; Abroad £130.00

Journal of Clinical Pathology

Monthly. Annual Subscription Inland £137.00; Abroad £146.00

Journal of Epidemiology and Community Health

Quarterly. Annual Subscription Inland £68.00; Abroad £70.00

Journal of Medical Ethics

Quarterly. Annual Subscription Inland £49.00; Abroad £64.00

Journal of Medical Genetics

Monthly. Annual Subscription Inland £126.00; Abroad £134.00

Journal of Neurology, Neurosurgery and Psychiatry

Monthly. Annual Subscription Inland £128.00; Abroad £138.00

Thorax

Monthly. Annual Subscription Inland £124.00; Abroad £132.00

**Professional
and
Scientific
Publications**

BDA News

19 issues a year. Annual Subscription Inland £25.00; Abroad £30.00

BMA News Review

Monthly. Annual Subscription Inland £33.00; Abroad £37.00

British Dental Journal

22 issues a year. Annual Subscription Inland £127.00; Abroad £160.00

British Journal of Anaesthesia

Monthly. Annual Subscription Inland £100.00; Abroad £107.00

Current Work in the History of Medicine

Quarterly. Annual Subscription Inland £23.00; Abroad £28.00

Eye

Six issues. Annual Subscription Inland £128.00; Abroad £149.00

Health Visitor

Monthly. Annual Subscription Inland £43.00; Abroad £48.00

Medical History (including Annual Supplement)

Quarterly. Annual Subscription Inland £67.00; Abroad £76.00

Sample copies available
on request.

All subscription rates
include postage, by air
speeded despatch abroad.

Subscription rates
apply to 1991

BMJ BRITISH MEDICAL JOURNAL, BMA HOUSE, TAVISTOCK SQUARE, LONDON WC1H 9JR, ENGLAND

Antifungal therapy that's severe on the infection, not on the patient.

Prescribing information

Indications and dosage: Systemic candidiasis: 400mg on the first day followed by 200-400mg once daily. Cryptococcosis, including meningitis: 400mg on the first day followed by 200-400mg once daily. Maintenance therapy to prevent relapse of cryptococcal meningitis in patients with AIDS: at least 100mg daily. Oropharyngeal candidiasis: 50-100mg once daily for 7-14 days or longer, in immunocompromised patients. Other mucosal candidal infections: 50-100mg once daily for 14-30 days. Vaginal candidiasis: single 150mg dose. Use in the elderly - as above except for those renally impaired - see data sheet. Use in children - not recommended.

Administration: Diflucan may be administered either orally or by intravenous infusion at a rate of approximately 5-10ml/min. The dosages for the two routes are equivalent. **Contra-indications:** Hypersensitivity to fluconazole or related triazoles, pregnancy and women of childbearing potential unless adequate contraception is employed.

Warnings: Lactation: Not recommended. Renal impairment: dosage reduction may be necessary, see data sheet. **Drug interactions:** Monitor patients on concurrent anticoagulants, oral sulphonylureas, phenytoin or rifampicin. **Side effects:** Nausea, abdominal discomfort, diarrhoea and flatulence. **Package Quantities and basic NHS Cost:** 50mg capsule, calendar pack of 7, £16.61 (PI: 57/0289); 200mg capsule, calendar pack of 7, £66.42 (PI: 57/0317); 150mg capsule, pack of 1, £7.12 (PI: 57/0290); Bottles of 25ml and 100ml containing Diflucan 2mg/ml intravenous infusion - 25ml (50mg) bottle, £7.32; 100ml (200mg) bottle, £29.28 (PI: 57/0315). Hospital prices are available on request.

References: 1-4 Data on file, Pfizer Ltd. Further information on request.



Pfizer Limited, Sandwich, Kent

Diflucan Oral/I.V. is highly effective, well tolerated therapy with a convenient, once a day dosage and administration.

Overall clinical responses in deep-seated fungal infections are impressive: 87% in systemic candidiasis¹, 96% in mucosal candidiasis² and 62% in cryptococcal meningitis.³ Tolerability is similarly impressive with adverse effects comparable to placebo.⁴

Diflucan Oral/I.V. Treating invasive fungal infection with an iron fist and patients with a velvet glove.

Diflucan ORAL/I.V.
fluconazole *Trade Mark

Counters invasive fungal infection